

| REPORT DOCUMENTATION PAGE | | | Form Approved OMB No. 074-0188 | |
|---|--|---|--|--|
| Public reporting burden for this collection of information is estimated to average 1 hour per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing this collection of information. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing this burden to Washington Headquarters Services, Directorate for Information Operations and Reports, 1215 Jefferson Davis Highway, Suite 1204, Arlington, VA 22202-4302, and to the Office of Management and Budget, Paperwork Reduction Project (0704-0188), Washington, DC 20503 | | | | |
| 1. AGENCY USE ONLY (Leave blank) | | 2. REPORT DATE 24 May 1994 | | 3. REPORT TYPE AND DATES COVERED Technical report, 1994 |
| 4. TITLE AND SUBTITLE Optimization of Atmospheric Radiance Algorithms for Remote Sensing: Improvements in Minor Species Photochemical Code and Its Impact on LR Radiances | | | 5. FUNDING NUMBERS Contract no. F19628-87-C-0100 | |
| 6. AUTHOR(S) U.B Makhoulouf | | | | |
| 7. PERFORMING ORGANIZATION NAME(S) AND ADDRESS(ES) Stewart Radiance Laboratory Division of Utah State University 139 The Great Road Bedford, MA 01730 | | | 8. PERFORMING ORGANIZATION REPORT NUMBER N/A | |
| 9. SPONSORING / MONITORING AGENCY NAME(S) AND ADDRESS(ES) SERDP 901 North Stuart St. Suite 303 Arlington, VA 22203 | | | 10. SPONSORING / MONITORING AGENCY REPORT NUMBER N/A | |
| 11. SUPPLEMENTARY NOTES Prepared for Phillips Laboratory/GPO, 29 Randolph Road, Hanscom AFB, MA 01731-3010. This work was supported in part by SERDP under Contract No. F19628-87-C-0100. The United States Government has a royalty-free license throughout the world in all copyrightable material contained herein. All other rights are reserved by the copyright owner. | | | | |
| 12a. DISTRIBUTION / AVAILABILITY STATEMENT Approved for public release: distribution is unlimited | | | 12b. DISTRIBUTION CODE A | |
| 13. ABSTRACT (Maximum 200 Words) The tasks of this work consisted of (a) Upgrading the PL/GP diurnal photochemical code to include the Schumann-Runge continuum to produce the O(¹ D), and examine the role O(¹ D) plays in the CO ₂ 4.3 μm radiance. (b) Improving the SHARC high altitude atmospheric generator especially around the terminator to produce very good agreement with the CIRRIIS-1A measurements. | | | | |
| 14. SUBJECT TERMS PL/GP diurnal photochemical code, Schumann-Runge continuum, SHARC, SERDP | | | 15. NUMBER OF PAGES 7 | |
| | | | 16. PRICE CODE N/A | |
| 17. SECURITY CLASSIFICATION OF REPORT unclass | 18. SECURITY CLASSIFICATION OF THIS PAGE unclass | 19. SECURITY CLASSIFICATION OF ABSTRACT unclass | 20. LIMITATION OF ABSTRACT UL | |

NSN 7540-01-280-5500

Standard Form 298 (Rev. 2-89)
Prescribed by ANSI Std. Z39-18
298-102

DTIC QUALITY INSPECTED 1 19980818 030

STEWART RADIANCE LABORATORY

139 THE GREAT ROAD • BEDFORD, MA 01730 • (617) 275-8273 • FAX (617) 271-0535
DIVISION OF UTAH STATE UNIVERSITY

Optimization of atmospheric radiance algorithms for remote sensing:

Improvements in minor species photochemical code and
its impact on IR radiances.

U. B. Makhoulf
Stewart Radiance Laboratory/USU

Prepared for:

Phillips Laboratory/GPO
29 Randolph Road
Hanscom AFB, MA 01731-3010

Under Contract No. F19628-87-C-0100


24 May 1994

1. Introduction:

This is a summary report of the work done by Stewart Radiance Laboratory (SDL) during FY93 under the SERDP program for optimization of atmospheric radiance algorithms for remote sensing. The tasks consisted of (a) Upgrading the PL/GP diurnal photochemical code to include the Schumann-Runge continuum to produce the $O(^1D)$, and examine the role $O(^1D)$ plays in the CO_2 4.3 μm radiance. (b) Improving the SHARC high altitude atmospheric generator especially around the terminator to produce very good agreement with the CIRRIS-1A measurements.

2. Upgrade the PL/GP photochemistry code to study non-LTE effects on CO₂ 4.3 μm:

An existing PL/GP one dimensional Diurnal Photochemical Code (DPC), which is currently used to generate self consistent minor species profiles for a specified latitude, day of the year and time of day, was improved. The chemical reaction rates in the DPC were updated from the latest *Jet Propulsion Laboratory* [1990] compilation, supplemented by rates from the recent literature, in addition to improvements in the transport processes in the code, parametrized by vertical eddy diffusion coefficients *Makhlouf et al* [1994]. The Schumann-Runge continuum which is an important UV source in photo-dissociating the molecular oxygen O₂ was missing in the DPC. This Schumann-Runge continuum source was added to the code due to its importance in producing the atomic oxygen excited state O(¹D).



The other source of O(¹D) is the dissociation of ozone O₃ in the Hartley band. The O(¹D) profile is a very sensitive function to the solar zenith angle especially around twilight.

O(¹D) plays a role in the 4.3 μm non-LTE enhancement of the CO₂ emission, since it is an important source of N₂(v), which resonates with the CO₂ v₃ states. In the middle atmosphere dissociation of O₃ provides a large source of O(¹D) which is rapidly quenched - predominantly by N₂. About 25% of the O(¹D) energy is transferred to N₂ vibrational energy. This process provides non-LTE daytime excitation in addition to the solar pumping of the 4.3 μm states, several runs from the DPC were delivered to *Nebel et al 1994*, to be included in their 4.3 μm calculations. However, since the opacities for O₃ Hartley band dissociation and CO₂ v₃ solar excitation are sufficiently different, inclusion of the O(¹D) source initiates earlier at sunrise, provides a large enhancement, as documented in the twilight SISSI rocket data, Figure (1). The inclusion of the O(¹D) as a source of N₂(v) improved the agreement between ARC/AARC models [*Winick et al*

1987] calculations and the measurements. This enhancement is predominantly in the (001) and (011) CO₂ states, *Winick et al* [1993].

3. Upgrades to the terminator SHARC atmospheric generator:

The updated DPC was used to improve the Air Force SHARC (Strategic High Altitude Radiance Code) Atmospheric Generator (SAG) especially around sunrise and sunset solar terminators. One of the most important effects for modeling calculations near the terminator is to account for the changes in the molecular number densities due to photochemical processes, along the line of sight (LOS).

Several runs were done using the DPC, for different solar zenith angles, in order account for the variability of the number densities, in this case the ozone, along the LOS. These runs were inputted into SHARC to calculate limb radiances along LOS in the 9.6 μm emission. Results were in very good agreement with the CIRIS-1A data measurements, see Figure (2), which represents a great improvements over those calculations done using the SAG code. More of these results and comparisons will be presented and discussed during the 17th Annual Review Conference on Atmospheric Transmission Models at Hanscom AFB, Massachusetts during the second week in June (7-8 June 1994). Adopting the improved DPC as an atmospheric generator for SHARC yields a significant improvement for SHARC calculations over the currently used SAG. This model can be adapted to run in parallel with SHARC.

Continuing work to move into a two dimensional modeling that includes a meridional transport which plays an important role in determining the profiles of important atmospheric constituents such as the ozone and nitric oxides.




Figure 1 : 4.3 μm band radiance calculated with and without the O(¹D) source.

CIRRUS vs. SAMM III at MET 1:14:55:46 with filter 7




Figure 2 : 9.6 μm band radiance calculated using SHARC code using (a) the SHARC atmospheric generator (SAG), and (b) Diurnal Photochemical Code (DPC)

4. References:

- Jet Propulsion Laboratory, *Chemical kinetics and photochemical data for use in stratospheric modeling*, JPL 90-1, NASA Panel for Data Evaluation, Pasadena, California, 1990.
- Makhlouf U. B., R. H. Picard and J. R. Winick, "Photochemical-dynamical modeling of the measured response of airglow to gravity waves. I. Basic model" submitted to JGR May 1994.
- Nebel, H., P. Wintersteiner, R. H. Picard, J. R. Winick, and R. D. Sharma, "CO₂ non-local thermodynamic equilibrium radiative excitation and infrared dayglow at 4.3 μm : Application to spectral infrared rocket experiment data" in press, JGR, 1994.
- Winick, J. R., R. H. Picard, R. D. Sharma, R. H. Joseph and P. P. Wintersteiner, "An infrared spectral code for the auroral thermosphere (AARC)" Rep. AFGL-TR-87-0334, Air Force Geophysics Lab., Bedford, MA, 1987.
- Winick J. R., R. H. Picard, P. P. Wintersteiner, and R. A. Joseph, U. Makhlouf, M. Lopez-Puertas "Re-examination of O(¹D) as a source of N₂(v) and its effect on CO₂ 4.3- μm limb emission and the energy budget of the middle atmosphere" Trans. Amer. Geophys. Union. 74(No. 43), 462, (1993).